

- Available in different sizes
- Suitable for both car and truck traffic
- Integration of intercom, coin slot, ticket dispenser, screen and more
- Steel control panel with custom layout
- Sandblasted, metallized and finished with a thermoset polyester coating

Measurements and parts

Control columns

- Available heights:
 - 750mm
 - 1000mm
 - 1250mm
 - 1750mm:
 - 2 parts: 1000mm + 750mm
 - 2000mm:
 - 2 parts: 1250mm + 750mm
 - 2250mm:
 - 2 parts: 1250mm + 1000mm 2500mm:
- 2 parts: 1250mm + 1250mm
- Available width:
 250mm (Depth: 200mm)
 400mm (Depth: 225mm)
- Operating panel (SS) with aluminium cover (WxH):
- Width 250mm: 165mm x 415mm Width 400mm: 315mm x 265mm or 315mm x 415mm
- Optional: integrated LED-lighting
- Access door: gevouwde staalplaat (2,5mm) with full rubber sealing and 2
- cylinder locks for security



Finishing

- Surface treatment: blasted, metallized and KTL-treated
- Finished with a thermoset polyester coating

Safety

Control posts

- Measurements:
- Tube:
- 120 x 40 x variale height (WxDxH) Base plate:
- 160 x 120 x 8mm (WxDxH)
- Available heights:
 - 1100mm
 - 1130mm
 - 1170mm
 - 2100mm
- Thickness of the steel plate: 3mm
- Measurements control panel: 54mm x 94mm (WxH)
- Maximum height as camera pole: 6000mm



Control box

- Cabinet made of folded and welded steel plate (3mm)
- Internal measurement:
- 210mm x 150mm x 250mm (WxDxH) • Front:
 - 208mm x 265mm (WxH)
- Base made of steel tubular profile: 60mm x 60mm (xD)
- control panel with cylinder lock




A control or access column gives you optimal control over who grants you access to the premises. Our control columns can be equipped with: card or badge reader, intercom, videophone, coin slot,




Technical drawing


Control column: 250mm (W) - single




Control column: 250mm (W) - double











280

1000

1250






280

M10

Your safe partner in access




Control column: 400mm (W) - Double






Control post



Control box






175

152

70


160



280

M10

4



190

Your safe partner in access



Your safe partner in access

